

CERTIFICATE

of

EC Type-examination (Module B)

Certificate No: 182120013/AA/00 Product Category: MED/5.17

With respect to Marine Equipment Directive 2014/90/EU and the implementing Regulation (EU) 2018/773, Telefication Notified Body 0560 declares that the equipment:

Product description: Portable Survival craft VHF radiotelephone

Trademark: McMurdo
Type designation: R5 GMDSS
Software version: 2.00.XX

Manufacturer: Thrane & Thrane A/S
Address: Lundtoftegaardsvej 93 D
City: 2800 Kongens Lyngby
Country: Denmark

Complies with the international instruments and test standards as listed in the Annex.

This certificate is granted to:

Name: Thrane & Thrane A/S
Address: Lundtoftegaardsvej 93 D
City: 2800 Kongens Lyngby
Country: Denmark

Validity of this certificate expires on date: **22 October 2023**This certificate has THREE Annexes.

Zevenaar, 22 October 2018

Willem Jan Jong Manager Product Certification



Annex 1 to EC type-examination Number: 182120013/AA/00



General conditions

- Each product to which this certificate relates shall be provided with Marine markings. The Marine marking consist of symbol in the form of a wheel followed by the identification number of the responsible Notified Body for module D, E, F or G, and by the last two digits of the number of the year in which the mark is affixed.
- The holder of this Certificate has drawn up a Declaration of conformity to type with Directive 2014/90/EU and Implementing Regulations, declaring that the product(s) described in this EC Type- examination certificate, satisfy the requirements that apply to them.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Telefication shall be notified immediately. Depending on the modifications, Telefication may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new Implementing Regulation may void the validity of this certificate regarding (re)placement of the product onboard ships.

Remarks and observations

The following conditions are applicable:

The R5 GMDSS may also be utilized for on-board communication. For this purpose a rechargeable 1800mAh Lithium-ion battery, model TT-1707A, is available.

The supplied battery charger, model TT-1704A, in combination with AC/DC switching power adapter, model 0H-1048A1200500U-VDE or OH-1048A1201200U-VDE and dual battery charger, model TT-1705A, in combination with AC/DC switching power adapter, model OH-1048A1201200U-VDE have been part of the type approval test.



Documentation lodged for this EC type-examination

Test Reports:

- Telefication B.V.: 99788230 Rev 2.0, 03 April 2007

- Telefication B.V.: 99788220, 05 April 2007

- Delta: Danak-19K0457, 15 June 2007

- Delta: Danak-19K0469, 18 September 2007

- Delta: Danak-19/18030, 26 June 2017

Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Risk assessment

International Instruments and test standards

The equipment complies with:

EN 300 225 EN 301 843-2 EN 60945 IEC 60945/Corrigendum 1 IMO Resolution A.694(17) ITU-R M.489-2 MSC Resolution 149(77) December, 2015 March, 2016 October, 2002 April, 2008 1991 October, 1995 June, 2003 V1.5.1 V2.1.1 Edition 4 Edition 4 Annex 2 to EC type-examination Number: 182120013/AA/00



Technical features and characteristics

The product includes the following features and characteristics:

VHF equipment

- Operating frequency range: Transmitter: 155.000-161.450MHz; Receiver: 155.000-163.425MHz Modulation method(s): 16K0G3E Maximum output power: 2 Watt rated

- Primary battery: Lithium Iron Disulfide 3000mAh; Temperature range: -20°C to +55°C; Channel separation: 25 kHz

Annex 3 to EC type-examination Number: 182120013/AA/00



Trademarks and Type designations:

The product as described in this EC type-examination includes the following type designations:

- Product description: Portable Survival craft VHF radiotelephone

- Trademark: McMurdo
- Type designation: R5 GMDSS
- Software version: 2.00.XX